

A New Method for Determining the Stability of Material Accreting onto Neutron Stars

Jeremy Heyl and Ramesh Narayan
Harvard-Smithsonian Center for
Astrophysics

What was old is new again

- Our technique:

LINEAR
STABILITY
ANALYSIS

In other words...

- We, for the first time, calculate both the structure of a steady-state burning layer on a neutron star and the perturbations of that steady-state solution to linear order.

What makes it better?

- For each configuration, we know

- – whether it is stable,

- – what drives the instability,

- how fast does it grow, and





- whether the burning oscillates.

- Earlier analyses typically gave a sense about the stability but little else.

- Does the mode grow faster than the accreted layer?


How does it work?

- Perturb the outgoing surface flux,
- Calculate the new solution [with $f_1 e^{\gamma t}$],
- Vary γ until $T_1=0$ at a depth where the diffusion time is $1/|\gamma|$.
- Bonus: $F_1=0$ too




Does it really work?


- We find the same major burst regimes:
 - H bursts
 - He bursts
 - Mixed bursts
- Prompt v. delayed bursts
- Unstable v. overstable triggers




Which type of fuel?




Which type of trigger?




Critical Column Densities



Recurrence Time




Burst Duration




Observational Comparison (α)

- α is the ratio of the persistent flux to the flux during the burst
- Above 3% L_{Edd} we find the same trends in α as observed.
- Below 3% L_{Edd} we can't account for the low values of α .



Duration and Interval

- The bursts that our prescription predicts typically last longer and are less frequent than observed.
- The fuel layer only burns partially, leaving material for the next burst.



Where can I buy one?

- Check out [astro-ph/0303447](https://arxiv.org/abs/astro-ph/0303447).
- Our method faithfully reproduces all of the previously known burst regimes for hydrogen and helium burning.
- It also identifies a new region of mixed bursts on the onset of stable burning where the burst is delayed and a substantial portion of the fuel is consumed in between bursts.